

2023 Independent Chlorine Results

Address	Collection Date	Free Chlorine (ppm)	Total Chlorine (ppm)
16XX Brickville Rd	8/10/2023	1.20	1.20
1XX E Plank Rd	8/10/2023	0.77	0.75
4XX E State St	8/10/2023	1.30	1.20
2XX E Page St	8/10/2023	0.85	0.86
21XX Frantum Rd	8/10/2023	0.76	0.75
3XX N Sacramento St	8/10/2023	0.93	1.20
9XX Wells Dr	8/10/2023	0.65	0.69
4XX Borden Ave	8/10/2023	0.57	0.53
10XX Bethany Rd	8/10/2023	0.93	1.00
18XX DeKalb Ave	8/10/2023	1.00	1.20
17XX DeKalb Ave	8/10/2023	1.30	1.40
16XX Parkside Dr	8/10/2023	0.95	1.20
9XX Freedom Cir	8/10/2023	1.30	1.30
10XX Foxpointe Dr	8/10/2023	0.54	0.68
7XX Freed Dr	8/10/2023	0.76	1.00
17XX N Main St	8/10/2023	1.00	1.10
Becker Pl (Tower #1)	8/10/2023	0.75	0.77
4XX N Cross St	8/10/2023	0.75	0.81
9XX Crosby Ave	8/10/2023	1.40	1.70
8XX Sunset Ln	8/10/2023	1.10	1.30
5XX Lincolnshire Dr	8/10/2023	0.88	0.88
3XX W State St	8/10/2023	1.10	1.20
4XX Anjali Ct	8/10/2023	1.30	1.50
29XX DeKalb Ave	8/10/2023	1.10	1.20
17XX Longwood Dr	8/10/2023	0.70	0.96
6XX S Cross St	8/9/2023	0.59	0.83
15XX Bethany Rd	8/9/2023	1.10	1.00
8XX Coventry Cir S	8/9/2023	0.65	0.59
4XX E Elm St	8/9/2023	0.64	0.85
3XX E Ottawa St	8/9/2023	0.65	0.87
4XX Edward St	8/9/2023	0.35	0.10
6XX Edward St	8/9/2023	0.29	0.27
8XX Esther Ave	8/9/2023	0.35	0.18
9XX Hamilton Dr	8/9/2023	0.37	0.11
14XX Larson St	8/9/2023	1.20	1.30
4XX Lincolnshire Dr	8/9/2023	0.70	0.55
5XX S Locust St	8/9/2023	0.29	0.24
6XX Loomis St	8/9/2023	0.12	0.12
3XX N California St	8/9/2023	0.55	0.56
7XX Park Ave	8/9/2023	0.23	0.25
9XX Townsend St	8/9/2023	0.67	0.63
4XX W Elm St	8/9/2023	0.36	0.40
18XX Maness Ct	8/9/2023	0.77	0.92
6XX Park Ave	8/9/2023	<0.10	<0.10
2XX S Locust St	8/9/2023	0.40	0.29
2XX Somonauk St	8/9/2023	0.14	0.14
2XX E Lincoln St	8/9/2023	0.38	0.58
4XX E State St	8/9/2023	0.70	0.75
1XX Mason St	8/9/2023	0.27	0.25
9XX Hamilton Dr	8/9/2023	0.75	0.75